

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

NCI Group, Inc. 14031 West Hardy Houston, TX 77060

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: 'R-Panels" 22 ga. & 24 ga. Structural Galvalume Steel 1-1/4" x 36" Roof Panels

APPROVAL DOCUMENT: Drawing # R95, titled "PBR Panel Flashing Detail", sheets 100 through 110, prepared by NCI Group, Inc., dated April 14, 2015, signed and sealed by Mark Detwiler, P.E., on April 14, 2015, bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and the expiration date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises NOA #12-0730.02 and consists of this page 1, evidence submitted pages E-1, E-2, E-3, E-4, & E-5 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.

(MIAMI-DADE COUNTY)
APPROVED

Heb A. Mar 03/17/2016

NOA No. 15-0505.26 Expiration Date: 02/27/2018 Approval Date: 03/17/2016 Page 1

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 96-0529.03

A. DRAWINGS

1. Title:

"R-Panel" Roof Panel

Number:

R95, sheets 100 through 110

Signature:

Terrence E. Wolfe, P.E.

Date:

05/23/96

Revision Date:

01/30/97

B. TESTS

1. Laboratory

Farabaugh Engineering and testing, Inc.

Number

T103-96, dated 01/18/96.

Type:

Uniform static air pressure loading, per ASTM 1592 (22 ga R-

Panel)

Signature:

Daniel G. Farabaugh, P.E.

2. Laboratory

Farabaugh Engineering and testing, Inc.

Number

T102-96, dated 01/11/96

Type:

Uniform static air pressure loading, per ASTM 1592 (24 ga R-

Panel)

Signature:

Daniel G. Farabaugh, P.E.

3. Laboratory

Farabaugh Engineering and testing, Inc.

Number

T104-96, dated 01/05/96

Type:

Large missile impacts, per PA 201-94 (24 ga R-Panel)

Signature:

Daniel G. Farabaugh, P.E.

4. Laboratory

Laboratory

Farabaugh Engineering and testing, Inc.

Number

T118-96, dated 04/26/96

Type:

Susceptibility to leakage for class 1 metal roof panel, per "FM

4471-G" (24 ga R-Panel)

Signature:

Daniel G. Farabaugh, P.E.

5. Laboratory:

West Penn Testing Laboratories, Inc.

Number:

WP-9048 (Report # 034), dated 01/31/96

Type:

Tensile Strength (22 ga R-Panel)

Signature:

Todd A. Ault

6. Laboratory:

West Penn Testing Laboratories, Inc.

Number:

WP-9048 (Report # 034), dated 01/31/96

Type:

Tensile Strength (22 ga and 24 ga R-Panels)

Signature:

Todd A. Ault

Holmy A. Makar, P.E., M.S. Product Control Section Supervisor

NOA No. 15-0505.26 Expiration Date: 02/27/2018

Approval Date: 03/17/2016

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

7. Laboratory:

Center For Applied Engineering, Inc.

Number:

MTS No. 257558, dated 03/27/96

Type:

Wind Driven Rain Test per PA 100-95 (24 ga R-Panels)

Signature:

R. G. Miller, P.E.

C. CALCULATIONS

1. Title:

22 gage and 24 gage R-Panel

Signature:

Terrence E. Wolfe, P.E.

Date:

05/23/96

2. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 99-0823.04

A. DRAWINGS

- 1. None.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. MATERIAL CERTIFICATIONS
 - 1. None.
- E. STATEMENTS
 - 1. Letter requesting renewal of NOA No. 96-0529.03 and stating that the product has not changed, dated August 12, 1999, signed by Brian N. Jaks.
- 3. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 02-1016.04
- A. DRAWINGS
 - 1. None.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.

Helmy A. Makar, P.E., M.S.

Product Control Section Supervisor

NOA No. 15-0505.26

Expiration Date: 02/27/2018 Approval Date: 03/17/2016

EVIDENCE SUBMITTED NOTICE OF ACCEPTANCE:

MATERIAL CERTIFICATIONS D.

1. None.

EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 08-0212.06 4.

DRAWINGS A.

None. 1.

TESTS В.

- Test report on Large Missile Impact Test, Cyclic Wind Pressure Test, and Uniform 1. Static Air Pressure Test on R-Panel 24 ga. X 36" wide, prepared by Farabaugh Engineering and Testing Inc., Report No. T216-07, dated 06/15/2007, signed and sealed by Patrick J. Farabaugh, P.E. and Daniel G. Farabaugh, P.E.
- Test report on Uniform Static Air Pressure Test on PRB-Panel 22 ga. X 36" wide, 2. per ASTM 1592-01, prepared by Force Engineering & Testing Inc., Report No. 07-0004T-08A, B, dated 01/28/2008, signed and sealed by Terrence E. Wolfe, P.E.
- Test report on Uniform Static Air Pressure Test on PRB-Panel 22 ga. X 36" wide, 3. per ASTM 1592-01, prepared by Force Engineering & Testing Inc., Report No. 07-0004T-08C, dated 01/28/2008, signed and sealed by Terrence E. Wolfe, P.E.
- Test report on Uniform Static Air Pressure Test on PRB-Panel 24 ga. X 36" wide, 4. per ASTM 1592-01, prepared by Force Engineering & Testing Inc., Report No. 07-0004T-08D, E, dated 01/28/2008, signed and sealed by Terrence E. Wolfe, P.E.
- Test report on Uniform Static Air Pressure Test on PRB-Panel 24 ga. X 36" wide, 5. per ASTM 1592-01, prepared by Force Engineering & Testing Inc., Report No. 07-0004T-08F, dated 01/28/2008, signed and sealed by Terrence E. Wolfe, P.E.
- 6. Test procedure for wind and wind driven rain resistance of discontinuous roof systems performance for R-Panel Steel Roof 36" wide x 24 ga. Per TAS 100-95, test report # T351-07, dated 12/20/07, signed and sealed by Daniel G. Farabaugh, P.E.

CALCULATIONS C.

1. None.

D. **QUALITY ASSURANCE**

By Miami-Dade County Building Code Compliance Office.

MATERIAL CERTIFICATIONS Ε.

- Tensile Test foe 22 ga. From test # 07-0004T-08A, B. 1.
- 2. Tensile Test foe 24 ga. From test # 07-0004T-08A, B.

Helmy A. Makar, P.E., M.S.

Product Control Section Supervisor

NOA No. 15-0505.26 Expiration Date: 02/27/2018

Approval Date: 03/17/2016

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

5. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 11-0810.07

A. DRAWINGS

1. Drawing with no number, titled "PBR Panel Flashing Detail", sheets 1 through 11, prepared by NCI Group, Inc., dated July 27, 2011, signed and sealed by Mark Detwiler, P.E., on July 27, 2011.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. OUALITY ASSURANCE

1. By Miami-Dade County Department of Permitting, Environment, and Regulatory Affairs.

E. MATERIAL CERTIFICATIONS

1. None.

F. OTHERS

1. Bill of Sale, assignment and Assumption Agreement.

6. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 12-0730.02

A. DRAWINGS

1. Drawing # R95, titled "PBR Panel Flashing Detail", sheets 100 through 110, prepared by NCI Group, Inc., dated July 02, 2012, signed and sealed by Mark Detwiler, P.E., on July 02, 2012.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

D. QUALITY ASSURANCE

1. By Miami-Dade County Department of Regulatory and Economic Resources.

E. MATERIAL CERTIFICATIONS

1. None.

Helmy A. Makar, P.E., M.S.

Product Control Section Supervisor NOA No. 15-0505.26

> Expiration Date: 02/27/2018 Approval Date: 03/17/2016

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

7. NEW EVIDENCE SUBMITTED


- A. DRAWINGS
 - 1. Drawing # R95, titled "PBR Panel Flashing Detail", sheets 100 through 110, prepared by NCI Group, Inc., dated April 14, 2016, signed and sealed by Mark Detwiler, P.E., on April 14, 2016.
- B. TESTS
 - 1. None.
- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.

Helmy A. Makar, P.E., M.S.


Product Control Section Supervisor NOA No. 15-0505.26

Expiration Date: 02/27/2018
Approval Date: 03/17/2016

TYPICAL DETAILS OF EAVE TRIM




ISOMETRIC VIEW OF EAVE TRIM



CROSS SECTION OF EAVE TRIM

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No. 15-0505.26
Expiration Date 01/27/2018
By the A. M. Miami Daylor roduct Control




TO CENTRE 1720 FARMEN BE HOUSTRY TO TOWN OF MALLIN, 127 BX 4020 MET TO LEGGE NAME OF THE PROJECT NAME OF THE DADE COUNTY PROIT DADE COUNTY, FLO

Scale: NOT TO SCALE


Drawn by: EH

Checked by: JA

lob Number: 96-0529-03



TYPICAL DETAILS OF HIP





Scale: NOT TO SCALE

Sheet Number: R95 / 102

Sheet Number: R95 / 102
These drayings and the Ketal
Components they represent are the
Product of NCI group or another
Division or affiliate of NCI group,
Inc. - 7301 farryiev or NCI group
Typial the engineer of House of NCI
Group or Another division or
Affiliate of NCI group, Inc. And is
NCI THE ENGINEER OF RECORD FOR
THIS PROJECT, THESE DRAYINGS MIST
BE SEXTIVED IF OR PROJECT
COMPLIANCE BY THE ENGINEER OF
RECURI.

TYPICAL DETAILS OF PANEL LAPS





DETAIL "B"

1/4-14 x 7/8 LONG-LIFE LAPTEK
W/WASHER [FASTENER #4] @ 12" O.C.


TAPE SEALER

DETAIL "A"

ISOMETRIC VIEW OF "PBR" PANEL ROOF

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 15 - 0 5 0 5 2
Expiration Date 0 7 / 27 / 20

By He Miami Dade Woduct Control





Scale: NOT TO SCALE
Drown by: EH


Checked by: JA Job Number: 96-0529-03

Sheet Number: R95 / 103

Sheet Number: N95 / 103
THESE DRAVINGS AND THE METAL
COMPUNENTS THEY REPRESENT ARE THE
PRODUCT OF NCI GROUP OR ANDTHER
DIVISION OR AFFILIATE OF PICI GROUP,
DIC. - 7301 FAIRVIEW DR. HOUSTIN TX
77041. THE DIGDEER VIEDS: SEAL
APPEARS MERCH IS SEPTIMED BY NCI
GROUP DR. ANDTHER DIVISION OR
AFFILIATE OF TOIL GROUP, DIC. AND IS
NOT THE ENGINEER OF RECORD FOR
THIS PROLECT, THESE DRAVINGS MUST
BE REVIEWED FOR PROLECT
COMPLIANCE BY THE ENGINEER OF
RECORD.







CROSS SECTION OF HIGH SIDE PARAPET

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 15-0505.2 (
Expiration Date 07/27/20/

Miumi Dade Pioduct Control

GRIP IN THE RIVERS IN UR

AFFILIATE OF MI GRUP, INC. AND IS

NOT THE ENGINEER OF RECORD FOR

THIS PREJECT. THESE DRAWINGS MIST

IN REVIEWED FOR PROJECT

COMPLIANCE BY THE ENGINEER OF

RECORD.

STATE OF

ORIO

ONAL ENGINE

ONAL


Scale: NOT TO SCALE

Drawn by: EH


Checked by: JA

These dravings and the metal components they represent are the product of not group or another division or affiliate of not group.

TYPICAL DETAILS OF HIGH SIDE EAVE




CROSS SECTION OF HIGH SIDE EAVE



ISOMETRIC VIEW OF HIGH SIDE EAVE

as complying with the Florida
Building Code
Acceptance No 15-0505




Scale: NOT TO SCALE Drawn by: EH Checked by: JA

Job Number: 96-0529-03

THESE DRAVINGS AND THE METAL COMPONENTS THEY REPRESENT ARE THE PRODUCT OF NCI GROUP OR ANOTHER DIVISION OR AFFILIATE OF NCI GROUP.

PRODUCT REVISED


TYPICAL DETAILS OF RAKE



Scale: NOT TO SCALE Drawn by: EH Checked by: JA

ISPACE NUMBER: R95 / 106


THESE DRAYINGS AND THE METAL
COMPONENTS THEY REPRESENT ARE THE
PRODUCT OF NCI GROUP OR ANOTHER
DIVISION OR AFFILIATE OF NCI GROUP,
INC. — 7301 FARNIVER NR MOUSTON TX
77041. THE DIGINEER VHOSE SEAL
APPEARS RESEGN IS SEPLOYED BY NCI
GROUP OR ANOTHER DIVISION OR
AFFILIATE OF NCI GROUP, INC. AND IS
MOIT THE ENGINEER OF RECORD FOR
THIS PROJECT. THESE DRAYINGS MUST
BE REVIEWED FOR PROJECT
COMPLIANCE BY THE ENGINEER OF
RECORD.



PRODUCT REVISED as complying with the Florida Building Code

Acceptance No 15.


TYPICAL DETAILS OF PARAPET RAKE




Scale: NOT TO SCALE
Drawn by: EH
Checked by: JA

Job Number: 96-0529-03


Sheet Number: R95 / 107
THESE DRAVINGS AND THE HETAL
COMPONENTS THEY SEPPEISENT ARE THE
PRODUCT OF INCI GROUP OR ANOTHER
DIVISION OR AFFILIATE OF INCI GROUP,
INC. - 7301 FATILIATE OF AND GROUP,
INC. - 7401 FAREVIEW OR HOUSTON TO
77041. THE ENGINEER VIOSE SEAL
APPEARS HESSON IS EMPLOYED BY INCI
GROUP OR ANOTHER DIVISION OR
AFFILIATE OF INCI GROUP, INC. AND IS
INT THE ENGINEER OF RECORD FOR
THIS PROLECT. THESE DRAVINGS MUST
BE SEVENED FOR PROLECT
COMPLIANCE BY THE ENGINEER OF
RECORD.



TYPICAL DETAILS OF RIDGE



CROSS SECTION OF RIDGE



Scales Annual Sylection Date

COSTONITY PRODUCT APPROVAL

Solid Manual Park Country Product Annual Manual Park Country Product Approval


See State Annual Manual Park Country Product Approval

See State Manual Manual Park Country Product Approval


See State Manual Manu

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 15-0504
Expiration Date 02/27/2


By A- M. Midmi Dade Product Control




TYPICAL DETAILS OF VALLEY



CROSS SECTION OF VALLEY



ISOMETRIC VIEW OF VALLEY



Scale: NOT TO SCALE


Drown by: EH


Checked by: JA


Job Number: 96-0529-03

Sheet Number: R95 / 10

THESE DRAVINGS AND THE METAL COMPONENTS THEY RESPRESSION ARE THE PRODUCT OF NOT GROUP OR ANOTHER DIVISION OR AFFILIATE OF NOT GROUP, INC. - 7301 FAIRVIEW DR. HUSSTON TX 77041. THE EMBORER VIPUS SEAL APPEARS HEREON IS SUPPLIFIED BY NOT GROUP OR ANOTHER FOR ANOTHER OF ANOTHER OF ANOTHER OF ANOTHER OF RECORDS FOR THIS PROJECT, THESE DRAVINGS MIST BE REVIEWED FOR PROJECT COMPLIANCE BY THE ENGINEER OF RECORD.







PANEL PROPERTIES							
	PANEL THICKNESS	YIELD STRENGTH	TENSILE STRENGTH	ELONGATION	HARDNESS	STEEL COATING	PAINT COATINGS
24	.024 MIN.	50 KSI	55-70 KSI	20-36%	50-65 HRB	AZ 55	SIG 300 KYNAR
22	.029 MIN.	50 KSI	55-70 KSI	20-36%	50-65 HRB	AZ 55	SIG 300 KYNAR

PANEL ACCESSORIES

CONSTRUCTION FASTENERS INC. SPRING STREET AND VAN REED ROAD P.O. BOX 6326, WYOMISSING PA 19610

#14 X 7/8' LAP TEK W/BOND SEAL WASHER

#12 X 1 SDS W/EPDM WASHER

#12 X 1 TEK 2 W/BOND SEAL WASHER

#14 X 7/8' LAP TEK V/EPDM WASHER

WG-7 INSIDE/DUTSIDE CLOSED CELL POYETHYLENE FOAM



GULF-SEAL SPECIALTIES, INC. P.D. BOX 508

SOUTH HOUSTON, TX 77587

TAPE SEALER MB-10A (POLYISOBUTYLENE-ISOPLENE)

TRI-BEAD


TAPE SEALER MB-10A (POLYISOBUTYLENE-ISOPLENE)

TRIPLE BEAD

TAPE SEALER MB-10A (POLYISOBUTYLENE-ISOPLENE)

SCHNEE-MOREHEAD, INC. 111 NORTH NURSERY ROAD IRVING, TX 75060

PERMATHANE URETHANE CAULK



1/4--14 x 7/8 LONG-LIFE LAPTEK -W/WASHER [FASTENER #4] @ 12" O.C. TAPE SEALER

NOTES:

1. THE 22 GAGE OR 24 GAGE PBR PANELS SHALL BE USED FOR ROOF CONSTRUCTION ONLY. THE ACTUAL ROOF PROJECT SHALL BE CONSTRUCTED USING THE SAME DETAILS SHOWN ON THESE DRAWINGS INCLUDING:

A. DETAILS OF ALL PANEL MATERIAL CHARACTERISTICS AND SECTIONS WITH DIMENSIONS AND THICKNESS

B. ASSEMBLY DETAILS INCLUDING ALL CONNECTIONS FASTENERS DIAGRAM WITH SIZE

C. PANEL MAXIMUM SPAN AND PRESSURE FOR THE FIELD PERIMETERS AND CORNERS

2. THE MAXIMUM ALLOWABLE SPANS AND PRESSURES FOR THE 24 GAGE STEEL FOR PANEL ARE AS FOLLOWS:


MAXIMUM PANEL SPAN MAXIMUM PRESSURE (psf) FIELD ZONE * 4'-0" 49.40 PERIMETER ZONE * 2'-0" 147.00 1'-0" CORNER ZONE * 212.00 * ONE (1)-#14 TEK FASTENER PLACED ON ONE SIDE OF EACH RIB (i.e. 1-#14 @

3. THE MAXIMUM ALLOWABLE SPANS AND PRESSURES FOR THE 22 GAGE STEEL FOR PANEL ARE AS FOLLOWS:

MAXIMUM PANEL SPAN MAXIMUM PRESSURE (psf) FIELD ZONE ** 4'-0" 53.00 2'-0" 169.00 PERIMETER ZONE ** CORNER ZONE ** 1'-0" 238.00 ** ONE (1)-#14 TEK FASTENER PLACED ON EACH SIDE OF EACH RIB (i.e. 2-#14 @ 12")

4. THIS STRUCTURAL ROOF PANEL SYSTEM HAS BEEN DESIGNED IN ACCORDANCE WITH FLORIDA BUILDING CODE (FBC) FOR USE WITH 5TH EDITION (2014) FBC AND THE 2010 FBC AS APPLICABLE THE DESIGN PRESSURES AS DETERMINED FROM SECTION 1620 AND ASCE 7-10 MUST BE MULTIPLIED BY 0.60.

> PRODUCT REVISED as complying with the Florida **Building Code** Acceptance No 15-0505. 26 Expiration Date 02/21/2018



Sheet Number: R95 / 110

These dravings and the metal components they represent are th product of NCI group or another division or applicate of NCI group MYTHAN HEREM IS DIPITUTED BY INT GROUP OR ANOTHER DIVISION OR AFFILIATE OF INCI. GROUP, DAC. AND IS NOT THE ENGINEER OF RECIRD FOR THIS PROLECT, THESE BRAVINGS MUST SE REVIEWED FOR PROLECT COMPLIANCE BY THE ENGINEER OF RECORD.

